

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of the claims:

1. (currently amended) A method of automatic speech recognition (ASR), comprising:
 providing a plurality of categories for different speech utterances;
 receiving ground truths with correct text for the different speech utterances;
 processing the different speech utterances at different ASR engines;
 comparing output from each of the different ASR engines with the ground truths
 to determine ranks of the different ASR engines for accuracy in recognizing the different
 speech utterances;
 assigning a different ASR engine to each category based on the ranks of the ASR
 engines;
 receiving a first speech utterance from a first user;
 classifying the first speech utterance into one of the categories; and
 selecting the ASR engine assigned to the category to which the first speech
 utterance is classified to automatically recognize the first speech utterance.
2. (original) The method of claim 1 wherein providing a plurality of categories for
different speech utterances further comprises providing a male category and a female
category.
3. (original) The method of claim 1 wherein assigning a different ASR engine to each
category further comprises assessing accuracy of each ASR engine for each category.
4. (original) The method of claim 3 wherein assessing accuracy of each ASR engine for
each category further comprises determining a least Word Error Rate of each ASR engine
for each category.
5. (original) The method of claim 1 wherein assigning a different ASR engine to each
category further comprises assessing time required for each ASR engine to recognize

speech utterances.

6. (original) The method of claim 1 further comprising:

receiving a second speech utterance from a second user;
classifying the second speech utterance into one of the categories; and
selecting the ASR engine assigned to the category to which the second speech utterance is classified to automatically recognize the speech utterance, wherein the ASR engine assigned to the category to which the second speech utterance is classified is different from the ASR engine assigned to the category to which the first speech utterance is classified.

7. (original) The method of claim 6 wherein the first speech utterance is classified into a male category, and the second speech utterance is classified into a female category.

8. (currently amended) An automatic speech recognition (ASR) system comprising:

means for receiving ground truths with correct text for different speech utterances;

means for processing the different speech utterances at different ASR engines;
means for comparing output from each of the different ASR engines with the ground truths to determine ranks of the different ASR engines for accuracy in recognizing the different speech utterances;

means for processing a digital input signal from an utterance of a user;
means for extracting information from the input signal; and
means for selecting a best performing ASR engine from ~~the a group of~~ different ASR engines to recognize the utterance of the user, wherein the means for selecting a best performing ASR engine utilizes the ranks of the different ASR engines ~~extracted information~~ to select the best performing ASR engine.

9. (original) The ASR system of claim 8 further comprising means for storing a ranking matrix, the ranking matrix comprising a plurality of different categories of speech signals and a plurality of different ASR engine rankings corresponding to the plurality of

different categories.

10. (original) The system of claim 9 wherein the different categories are selected from the group consisting of gender, noise level, and pitch.

11. (original) The system of claim 9 wherein the different ASR engines comprise single ASR engines and multiple ASR engines combined together.

12. (original) The system of 9 wherein the plurality of different ASR engine rankings are derived from statistical analysis.

13. (original) The system of claim 12 wherein the statistical analysis comprises assessing accuracy of speech recognition of different ASR engines with different speech signals.

14. (currently amended) A system, comprising:

a computer system having a central processing unit coupled to a memory and extraction algorithm; and

a plurality of different automatic speech recognition (ASR) engines coupled to the computer system, wherein the computer system;

receives ground truths with correct text for different speech utterances,
processes the different speech utterances at the different ASR engines,
compares output from each of the different ASR engines with the ground truths to
determine ranks of the different ASR engines for accuracy in recognizing the different
speech utterances,

receives a speech utterance, and
is adapted to analyze a speech utterance and uses the ranks to select one of the
ASR engines that will most accurately recognize the speech utterance.

15. (original) The system of claim 14 wherein the extraction algorithm extracts data from the speech utterance to classify the speech utterance into a category selected from the group consisting of male and female.

16. (original) The system of claim 14 wherein the computer system selects the ASR engine that has the least word error rate for the speech utterance.

17. (original) The system of claim 14 further comprising at least three different ASR engines and at least three different combination schemas of ASR engines to represent a total of at least six different ASR engines.

18. (original) The system of claim 14 further comprising a telephone network comprising at least one switching service point coupled to the computer system.

19. (original) The system of claim 18 further comprising at least one communication device in communication with the switching service point to provide the speech utterance.

20. (original) The system of claim 14 wherein the memory comprises a ranking table with a plurality of different categories of speech signals and a plurality of different ASR engine rankings corresponding to the plurality of different categories.